



A versatile and easy to use drill rig for professionals

This modern drill rig has everything you need for flexible working.

The drill rig is fast to attach with quick release. The drill rig is mounted between roof and floor without anchoring. Quick release of the feeding device is compatible with most power drills on the market.

The flexibility of the base enables drilling of straight and sloping holes in walls, floors and roof. Thanks to the big rubber wheels the rig is easy to move even in challenging places.



A smart drill rig for professionals



- Mounting between floor and roof, no anchoring needed
- Quick introduction
- Quick release for power drill
- Vertical column with racks for better ergonomoy
- Splash gard for base plate

Technical specifications

40⁺

Length of telescopic column (mm)

2050-3250

Extension (mm)

750

Max. applicable drill Ø (mm)

220

Max. applicable drill length (mm)

600

Rotation of column (°)

360 °

Rotation of feeding device

**-70 ° +90 °
0 - 180 °**

A third generation drill rig




- Mounting between floor and roof, no anchoring needed
- Quick introduction
- Quick release for power drill
- Vertical column with racks for better ergonomics
- One key for all systems



Technical specifications	50+
Length of telescopic column (mm)	1850-2950
Extension (mm)	130 / 490 / 750
Max. applicable drill Ø (mm)	350
Max. applicable drill length (mm)	675
Rotation of column (°)	360 °
Rotation of feeding device	-70 / +90 0-180

Accessories

- Brace
- Extensions for vertical column
- Model specific mounting plates for power drills



SALES

Tel: +358 9 511 470
E-mail: myynti@levanto.fi
www.levanto.fi

Timo Saukkonen
Matti Harjanne
Valtteri Nykänen
Jarmo Lahti

mobile +358 40 504 0980
mobile +358 40 156 0920
mobile +358 40 518 9276
mobile +358 400 206 387

Together Strong as Diamond

LEVANTO
DIAMOND SOLUTIONS