



## The right tools to succeed

### A beautiful garden raises the value of the property

For constructing a garden you need a good plan and for fullfilling the plan you need the right tools. A good result is achieved when you take in consideration the requirements of different materials.

### Use a drill made in Finland

Diamond drills with CR128 and  $r\frac{1}{2}$ " fixation can be found in Levantos' product range. Choose the desired diameter and length from our assortment. We manufacture diamond segments in Finland using raw-materials mof highest quality.

### Diamonds enhance your work


You will find a well cutting blade for asphalt, concrete and stone for dry and wet cutting in our product range. A battery-operated water tank will speed up your work since you don't have to install any separate water pipes.

Our professional sales personnel will help you in finding the right tools. Don't hesitate to contact us!


[www.levanto.fi](http://www.levanto.fi)




# Diamond cutting blades



**LTSV**



**PLW Premium**



**LHPV**



**ALW**

## DIAMOND CUTTING BLADES


	LTSV	PLW Premium	LHPV	ALW
<b>Diameter</b>	Ø 125-450	Ø 125-400	Ø 230-400	Ø 300-600
<b>Bore</b>	22,2-25,4	22,2-25,4	22,2-25,4	22,2-60
<b>Cutting</b>	Dry/wet	Dry/wet	Dry/wet	Dry/wet
<b>Material</b>	Granite, concrete, reinforced concrete	Largely reinforced concrete, hard concrete, other hard materials	Granite, concrete, other concrete materials	Asphalt, soft concrete



# Diamond drills

## Thin wall core drills R1½"

For drilling concrete, brick, asphalt and other hard materials. Ø 12-180 mm. Fixation: R1½". Standard length 350 mm. Segment hardness: 2,5 mm.  
Other lengths also available.



## Diamond drills CR128

For drilling concrete, brick, asphalt, granite and other hard materials. Ø 20-800 mm. Fixation: internal thread CR128. Standard length 500 mm.  
Other lengths also available.



# Grinding cups



## Grinding cup FAN

Ø 125 and 150 mm

The efficient Fan grinding cup for grinding of coatings. Stable and easy to use. For grinding and leveling concrete and other hard materials.



## Grinding cup TUPLA

Ø 100, 125 and 180 mm

For aggressive removal of coatings. For grinding concrete and other hard materials.



## Grinding disc KGS Hybrid Flapdisc

Ø 115 mm

For hand grinding. Suitable for granite, marble and glass. Hybrid Flap Disc is used for dry and wet grinding.  
Fixation: 22.2 mm. Recommended max. speed: 45 m/s.

# Italian top-glues



## Solid stone mastic

The popular Tenax solid mastic/glue for marble and other natural stones. A great range of colors and separate color pastes guarantee the right nuance for your glue.

## Liquid stone glue

A liquid, transparent stone glue for marble and other natural stones. Used for repairing and glueing stone materials. For horizontal use, hardened product is shiny.

## Domo 10 stone glue

Two part knife grade epoxy. For glueing and bonding all types of stone. Suitable for marble, granite, stone and ceramic. Gel time 2,5 h. Also available as a handy cartridge including static mixer.

## Battery operated pressure water tank

Easy to move because of big air filled rubber wheels. Automatic shutdown.

- up to 8 h of continuous use
- 5 different speeds
- volume of tank 35 l
- hose length 6,5 m
- weight 18 kg



## SALES

Tel: +358 9 511 470

E-mail: [myynti@levanto.fi](mailto:myynti@levanto.fi)

[www.levanto.fi](http://www.levanto.fi)

Timo Saukkonen  
Matti Harjanne  
Valtteri Nykänen  
Jarmo Lahti

mobile +358 40 504 0980  
mobile +358 40 156 0920  
mobile +358 40 518 9276  
mobile +358 400 206 387

Together Strong as Diamond

**LEVANTO**  
DIAMOND SOLUTIONS